

# Recursion

---



# Recursive Functions

## Recursive Functions

---

**Definition:** A function is called recursive if the body of that function calls itself, either directly or indirectly

**Implication:** Executing the body of a recursive function may require applying that function




Drawing Hands, by M. C. Escher (lithograph, 1948)

## Digit Sums

---

$$2+0+1+9 = 12$$

- If a number  $a$  is divisible by 9, then `sum_digits(a)` is also divisible by 9
- Useful for typo detection!



- Credit cards actually use the Luhn algorithm, which we'll implement after `sum_digits`


## The Problem Within the Problem

---

The sum of the digits of 6 is 6.

Likewise for any one-digit (non-negative) number (i.e.,  $< 10$ ).

The sum of the digits of 2019 is



That is, we can break the problem of summing the digits of 2019 into a [smaller instance of the same problem](#), plus some extra stuff.

We call this [recursion](#)

## Sum Digits Without a While Statement

---

```
def split(n):  
    """Split positive n into all but its last digit and its last digit."""  
    return n // 10, n % 10  
  
def sum_digits(n):  
    """Return the sum of the digits of positive integer n."""  
    if n < 10:  
        return n  
    else:  
        all_but_last, last = split(n)  
        return sum_digits(all_but_last) + last
```

## The Anatomy of a Recursive Function

---

- The `def` statement header is similar to other functions
- Conditional statements check for `base cases`
- Base cases are evaluated `without recursive calls`
- Recursive cases are evaluated `with recursive calls`

```
def sum_digits(n):  
    """Return the sum of the digits of positive integer n."""  
    if n < 10:  
        return n  
    else:  
        all_but_last, last = split(n)  
        return sum_digits(all_but_last) + last
```

(Demo)

## Recursion in Environment Diagrams



## Recursion in Environment Diagrams

```
1 def fact(n):  
→ 2     if n == 0:  
3         return 1  
4     else:  
→ 5         return n * fact(n-1)  
6  
7 fact(3)
```

- The same function **fact** is called multiple times
- Different frames keep track of the different arguments in each call
- What **n** evaluates to depends upon the current environment
- Each call to **fact** solves a simpler problem than the last: smaller **n**

(Demo)

Global frame

fact | → func fact(n) [parent=Global]

f1: fact [parent=Global]

n | 3

f2: fact [parent=Global]

n | 2

f3: fact [parent=Global]

n | 1

f4: fact [parent=Global]

n | 0  
Return value | 1

## Iteration vs Recursion

---

Iteration is a special case of recursion

$$4! = 4 \cdot 3 \cdot 2 \cdot 1 = 24$$

Using while:

```
def fact_iter(n):  
    total, k = 1, 1  
    while k <= n:  
        total, k = total*k, k+1  
    return total
```

Math:

$$n! = \prod_{k=1}^n k$$

Names:

n, total, k, fact\_iter

Using recursion:

```
def fact(n):  
    if n == 0:  
        return 1  
    else:  
        return n * fact(n-1)
```

$$n! = \begin{cases} 1 & \text{if } n = 0 \\ n \cdot (n-1)! & \text{otherwise} \end{cases}$$

n, fact

## Verifying Recursive Functions

## The Recursive Leap of Faith

```
def fact(n):  
    if n == 0:  
        return 1  
    else:  
        return n * fact(n-1)
```

Is fact implemented correctly?

1. Verify the base case
2. Treat `fact` as a functional abstraction!
3. Assume that `fact(n-1)` is correct
4. Verify that `fact(n)` is correct




Photo by Kevin Lee, Preikestolen, Norway

## Mutual Recursion

## The Luhn Algorithm

---

Used to verify credit card numbers

From Wikipedia: [http://en.wikipedia.org/wiki/Luhn\\_algorithm](http://en.wikipedia.org/wiki/Luhn_algorithm)

- **First:** From the rightmost digit, which is the check digit, moving left, double the value of every second digit; if product of this doubling operation is greater than 9 (e.g.,  $7 * 2 = 14$ ), then sum the digits of the products (e.g., 10:  $1 + 0 = 1$ , 14:  $1 + 4 = 5$ )
- **Second:** Take the sum of all the digits

1	3	8	7	4	3
2	3	1+6=7	7	8	3

 = 30

The Luhn sum of a valid credit card number is a multiple of 10

(Demo)

# Recursion and Iteration

## Converting Recursion to Iteration

---

Can be tricky: Iteration is a special case of recursion.

Idea: Figure out what state must be maintained by the iterative function.

```
def sum_digits(n):  
    """Return the sum of the digits of positive integer n."""  
    if n < 10:  
        return n  
    else:  
        all_but_last, last = split(n)  
        return sum_digits(all_but_last) + last
```

What's left to sum

A partial sum

(Demo)



## Converting Iteration to Recursion

---

More formulaic: Iteration is a special case of recursion.

Idea: The state of an iteration can be passed as arguments.

```
def sum_digits_iter(n):  
    digit_sum = 0  
    while n > 0:  
        n, last = split(n)  
        digit_sum = digit_sum + last  
    return digit_sum
```

Updates via assignment become...

```
def sum_digits_rec(n, digit_sum):  
    if n == 0:  
        return digit_sum  
    else:  
        n, last = split(n)  
        return sum_digits_rec(n, digit_sum + last)
```

...arguments to a recursive call

## Order of Recursive Calls



## Two Definitions of Cascade

---

(Demo)

```
def cascade(n):  
    if n < 10:  
        print(n)  
    else:  
        print(n)  
        cascade(n//10)  
        print(n)
```

```
def cascade(n):  
    print(n)  
    if n >= 10:  
        cascade(n//10)  
        print(n)
```

- If two implementations are equally clear, then shorter is usually better
- In this case, the longer implementation is more clear (at least to me)
- When learning to write recursive functions, put the base cases first
- Both are recursive functions, even though only the first has typical structure

## Example: Inverse Cascade

## Inverse Cascade

---

Write a function that prints an inverse cascade:

```
1
12
123
1234
123
12
1
```

```
def inverse_cascade(n):
    grow(n)
    print(n)
    shrink(n)
```

```
def f_then_g(f, g, n):
    if n:
        f(n)
        g(n)
```

```
grow = lambda n: f_then_g(
shrink = lambda n: f_then_g(
```