

Iterators

Iterators

A container can provide an iterator that provides access to its elements in order

```
iter(iterable): Return an iterator over the elements
of an iterable value
next(iterator): Return the next element in an iterator
```

```
>>> s = [3, 4, 5]
>>> t = iter(s)
>>> next(t)
3
>>> next(t)
4
>>> u = iter(s)
>>> next(u)
3
>>> next(t)
5
>>> next(u)
4
```

Dictionary Iteration

(Demo)

Views of a Dictionary

An iterable value is any value that can be passed to `iter` to produce an iterator

An *iterator* is returned from `iter` and can be passed to `next`; all iterators are mutable

A dictionary, its keys, its values, and its items are all iterable values

- The order of items in a dictionary is the order in which they were added (Python 3.6+)
- Historically, items appeared in an arbitrary order (Python 3.5 and earlier)

```
>>> d = {'one': 1, 'two': 2, 'three': 3}
>>> d['zero'] = 0
>>> k = iter(d.keys()) # or iter(d)
>>> next(k)
'one'
>>> next(k)
'two'
>>> next(k)
'three'
>>> next(k)
'zero'
>>> v = iter(d.values())
>>> next(v)
1
>>> next(v)
2
>>> next(v)
3
>>> next(v)
0
>>> i = iter(d.items())
>>> next(i)
('one', 1)
>>> next(i)
('two', 2)
>>> next(i)
('three', 3)
>>> next(i)
('zero', 0)
```

(Demo)

For Statements

(Demo)

Built-in Functions for Iteration

Many built-in Python sequence operations return iterators that compute results lazily

```
map(func, iterable): Iterate over func(x) for x in iterable
filter(func, iterable): Iterate over x in iterable if func(x)
zip(first_iter, second_iter): Iterate over co-indexed (x, y) pairs
reversed(sequence): Iterate over x in a sequence in reverse order
```

To view the contents of an iterator, place the resulting elements into a container

```
list(iterable): Create a list containing all x in iterable
tuple(iterable): Create a tuple containing all x in iterable
sorted(iterable): Create a sorted list containing x in iterable
```

(Demo)

Generators

Generators and Generator Functions

```
>>> def plus_minus(x):
...     yield x
...     yield -x
>>> t = plus_minus(3)
>>> next(t)
3
>>> next(t)
-3
>>> t
<generator object plus_minus ...>
```

A *generator function* is a function that **yields** values instead of **returning** them
A normal function **returns** once; a *generator function* can **yield** multiple times
A *generator* is an iterator created automatically by calling a *generator function*
When a *generator function* is called, it returns a *generator* that iterates over its yields

(Demo)

Generators can Yield from Iterators

A `yield from` statement yields all values from an iterator or iterable (Python 3.3)

```
>>> list(a_then_b([3, 4], [5, 6]))
[3, 4, 5, 6]

def a_then_b(a, b):
    for x in a:
        yield x
    for x in b:
        yield x
```

```
>>> list(countdown(5))
[5, 4, 3, 2, 1]

def countdown(k):
    if k > 0:
        yield k
        yield from countdown(k-1)

(Demo)
```
